

GOLDEN

此画册仅供参考，具体参数请以实物为准，
本公司对数据保留最终解释权，
数据如有变动恕不另行通知。

This album is only for reference,
specific parameters please in kind
prevail, our company reserves the
right of data, data are subject to
change without prior notice.



技术创造精品 质量决定信誉

www.gaodachina.com

轮式 / 螺旋式洗砂机

Wheeled / Spiral Sand Washer

上海高达机械有限公司
Shanghai golden machinery Co., LTD.

上海市浦东新区合庆凌白公路1280号
No.1280 Ling Bai Road, He Qing Town,
Pu Dong New District, Shanghai, China

国际市场部: 021-58559008 传真: 021-58550566

碎石制砂部: 021-38921328 传真: 021-38860218

磨粉机部: 021-38921518 传真: 021-38860218

售后服务部: 021-58550968

邮箱: golden@gaodachina.com

邮编: 201210



轮式/螺旋式洗砂机

Wheeled / Spiral Sand Washer

轮式、螺旋式洗砂机工作原理:

洗砂机工作时,电机通过三角带、减速机、齿轮减速后带动叶轮缓慢转动,砂石有给料槽进入洗槽中,在叶轮的带动下翻滚,并互相研磨,除去覆盖砂石表面的杂质,同时破坏包覆砂粒的水汽层,以利于脱水;同时加水,形成强大水流,及时将杂质及比重小的异物带走,并从溢出口洗槽排出,完成清洗作用。干净的砂石由叶片带走,最后砂石从旋转的叶轮倒入出料槽,完成砂石的清洗作用。

洗砂机可以将制砂机制出的混合砂子洗去微量的石粉和杂质,从而提高砂子的质量。XSD系列洗砂机是一种轮式洗选设备,主要用于建筑工地、砂石厂、水电站混凝土大坝工地、玻璃厂石英砂及油井回填料压力砂的洗选、分级和脱水。XSD系列洗砂机采用先进技术,结合国内砂石行业实际情况研制的高效洗砂设备,它结构合理,处理量大,功率消耗小,洗砂过程中砂子流失少,尤其是洗砂机传动部分均与水、砂隔离,故其故障率大大低于目前常用洗砂机,是国内洗砂行业升级换代的最佳选择。

Wheeled / Spiral Sand Washer

During sand washer running process, the motor drives the V-belt, reducer and the gear reducing to let the impeller moving. sand from the hopper into the washer, through the impeller grinding, distil dust, break the moisture layer till dewatering. At the same time, add water to make water flow and get off the dust or others, then discharged by the wahsthrough, finished the cleaning action. The clean sand be get out by the impeller, and then into the discharging opening, finished the sand washing action. The sand washer can clean the mixed sand to improving the quality of the final sand. It is a wheel like structure and equipped with sand making machine, and is necessary for sand washing product. It mainly used washing, grinding and dehydrating in sandstone factory, construction site, hydroelectric station dam, glass manufacturing and oil well development, this washer features of reasonable structure, big process capacity and economical power cost, especially the advanced design that makes transmission part isolated from water and sand, can mostly reduce the malfunction sand washer, so this sand washer is the best choice for product's upgrading and development.

洗砂机技术参数:


main technical parameters

型号	转轮直径 (毫米)	水槽长度 (毫米)	入选粒度 (毫米)	处理能力 (吨/小时)	电机功率 (千瓦)	重量 (吨)	外形尺寸 (毫米)
Model	Ring diameter (mm)	Flume length (mm)	Input size (mm)	Capacity (t/h)	Motor power (kw)	Weight (t)	Overall dimensions (mm)
XSD2610	2600	3220	≤10	40-60	7.5	2.7	3220×2125×2670
XSD3016	3000	3810	≤10	70-90	15	3.2	3400×2615×2800
XSD3620	3600	4200	≤10	130-160	18.5	4.3	4500×3210×3480

型号	螺旋直径 (毫米)	入选粒度 (毫米)	处理能力 (吨/小时)	电机功率 (千瓦)	重量 (吨)	外形尺寸 (毫米)
Model	Ring diameter (mm)	Input size (mm)	Capacity (t/h)	Motor power (kw)	Weight (t)	Overall dimensions (mm)
LSX915	915	≤10	80-120	11	6.3	8500×2810×3600
2LSX915	915	≤10	180-220	11×2	11.2	8420×3765×3960
LSX1115	1115	≤10	150-180	15	10.18	10970×3945×4720
2LSX1115	1115	≤10	280-360	15×2	17.94	10970×5250×4720

注: 技术参数如有变动, 恕不另行通知。 Note: technical parameters such as are subject to change without notice.





售后服务 After-sales service

1. 保证为用户提供良好的售前、售后服务，为用户在订购前介绍产品性能及使用要求，提供有关资料，当好用户参谋。
2. 用户需求进行技术培训，对重点用户进行质量跟踪、用户访问，及时根据用户需求改进产品性能，不断提高产品质量。
3. 保证兑现产品“三包”，产品在“三包”期内确属产品质量问题，严格履行合同中规定的赔偿责任。
4. 超过“三包”期限的产品，保证提供维修配件并根据用户需求做好维修服务工作。
5. 对于产品的配件和易损件以出厂价优惠提供。
6. 接到用户要求解决产品在使用中出现的问题通知后，本公司在1小时内作出初步响应，重大问题24小时到达现场。
7. 需要技术服务的将派专业技术服务人员参加开箱验收和指导安装、调试工作，直到设备正常运转。如有必要公司免费为客户培训技术人员，让客户掌握设备的使用、维护和简单修理技术。在生产过程中一旦设备出现故障，公司在接到客户电话后的24小时内必须拿出明确的解决方案，并将以先恢复生产再追究责任的态度迅速解决问题。

- 1.Ensure to provide good pre-sale or after-sale service, the recommendation,operating requirements and other information of our productions for all of our clients before orders,as a good adviser.
- 2.Offer technology training for the clients' requirements,quality scout service for the emphases clients,interview,improving production features and continuous improving production quality.
- 3.Ensure to check production "three guarantees",if our production have quality issues during the times.we will strict to check the contract compensation liability.
- 4.Outlast the times we will offer maintenance service on the clients' requirements,and offer the maintenance parts in time.
- 5.Offer the parts and the quick-wear parts according to the factory favourable price.
- 6.We will response the clients who have the operating issues in the operating process in an hour,specially important issues we will rush to the scene during 24 hours.
- 7.Offer the specialty technology workers to check and guide setting,debugging,till the equipment do normal running.even we can offer free technology training for the clients' requiements in necessary,let our clients in control of the using,maintenance and easy repair technology,while clients have issues in the operating process we will make the specific plan in 24 hours and resolve the issues with a responsible attitude