



此画册仅供参考，具体参数请以实物为准，
本公司对数据保留最终解释权，
数据如有变动恕不另行通知。

This album is only for reference,
specific parameters please in kind
prevail, our company reserves the
right of data, data are subject to
change without prior notice.



技术创造精品 质量决定信誉

www.gaodachina.com

VSI节能冲击式破碎机

VSI Vertical Shaft Impact Crusher

上海高达机器有限公司
Shanghai golden machinery Co., LTD.
上海市浦东新区合庆凌白公路1280号
No.1280 Ling Bai Road, He Qing Town,
Pu Dong New District, Shanghai, China
国际市场部: 021-58559008 传真: 021-58550566
碎石制砂部: 021-38921328 传真: 021-38860218
磨粉机部: 021-38921518 传真: 021-38860218
售后服务部: 021-58550968
邮箱: golden@gaodachina.com
邮编: 201210



VSI节能冲击式破碎机产品简介:

VSI节能冲击式破碎机是引进新西兰的先进技术,并结合中国制砂行业的标准设计的,目前国内处于领先地位,是第四代高效节能的制砂设备。主要适用高速铁路、公路、水电大坝、混凝土搅拌站、耐火材料、冶金建材等行业,是人工制砂和石子整形的理想设备。

VSI Vertical Shaft Impact Crusher

VSI vertical shaft impact crusher has introduced New Zealand's advanced technology, combined with the standard of sand making industry in China. It is currently stand a leading position in China and is the fourth generation of energy saving and efficient sand equipment. It is mainly applied in high railways, highways, hydroelectric dams, concrete mixing station, refractories, metallurgy and building materials industries. It is an ideal equipment for manual sand making and gravel shaping.

VSI节能冲击式破碎机

VSI Vertical Shaft Impact Crusher



VSI节能冲击式破碎机工作原理:

石料由机器上部直落入高速旋转的转盘,在高速离心力的作用下,与另一部分以伞型方式分流在转盘四周的靶石产生高速度的撞击与高密度的粉碎,石料在互相打击后,又会在转盘和机壳之间形成涡流运动而造成多次的互相打击、摩擦、粉碎、直至粉碎成所要求的粒度

Working principle

Firstly, The materials fell into the turn plate in high speed, meet the target rock which is flowing around the turn plate, Then is high speed impacting and high density crushing between the turn plate and the frame, The final production will be on requirement, through so many times pressing, grinding and impacting.

VSI节能冲击式破碎机性能特点:

1. 结构新颖、独特、简单合理、运转平衡、运行成本低。
2. “石打石、石打铁”，装置状态自由转换，制砂，碎石，一机多用。“石打石”技术减少了零部件磨损，降低了生产成本。
3. 能量消耗小、产量高、破碎比大、节能、环保。
4. 具有整形功能、产品呈立方状、堆积密度大。
5. 生产过程中，石料能形成保护底层，机身无磨损，经久耐用。
6. 少量易磨损件用特硬耐磨材质制成，体积小、重量轻、便于更换配件。
7. 空气自循环系统，降低粉尘。
8. 受物料水分含量影响小、含水率可达8%左右。
9. 主轴轴承用稀油站进行循环润滑，有备用油泵，可保证向主机连续供油。
10. 可实现自动控制和事故报警。
11. 顶盖通过液压系统进行提升，操作简便。

Features and benefites

1. Easy reasonable and special structure, balance and low operating cost.
2. “stone at stone” and “stone blacksmish” required adjusting the equipment, crushing sand and stone, a tractor serves several purposes
3. Low energy consumption, high production, crushing rate, saving energy and environmental.
4. The final production shape is cubic, big pile density.
5. During the running process, stone forms a protecting layer, the frame wears well.
6. The quick wear part has be made of head hard materials, with small srtructure, and easy to replace the fittings.
7. It has the air circulation system, reduce dust.
8. low effect on the material moisture, it will be 8%.
9. The main shaft keeps circulation lubrication, and ensures the main frame can be feed with the oil pump.
10. Adopt automation and alarm.
11. The top head with a hydraulic system, Easy operate.



VSI节能冲击式破碎机

VSI Vertical Shaft Impact Crusher

优势和特点:


1. 结构新颖、独特、简单合理、运转平衡、运行成本低。
2. “石打石、石打铁”，装置状态自由转换，制砂，碎石，一机多用。“石打石”技术减少了零部件磨损，降低了生产成本。
3. 能量消耗小、产量高、破碎比大、节能、环保。
4. 具有整形功能、产品成立方状、堆积密度大。
5. 生产过程中，石料能形成保护底层，机身无磨损，经久耐用。
6. 少量易磨损件用特硬耐磨材质制成，体积小、重量轻、便于更换配件。
7. 空气自循环系统，降低粉尘。
8. 受物料水分含量影响小，含水率可达8%左右。
9. 主轴轴承用稀油站进行循环润滑，有备用油泵，可保证向主机连续供油。
10. 可实现自动控制和事故报警。
11. 顶盖通过液压系统进行提升；操作简便。



VSI节能冲击式破碎机的主要技术参数:

Technical parameters

型号	最大入料粒度 (毫米)		转速 (r/min)	处理能力 (吨/小时)		电机功率 (千瓦)	重量 (吨)	外形尺寸 (毫米)
	软料	硬料		瀑布与中心进料	全中心进料			
Model	Max feed size (mm)		Rotating speed (r/min)	Capacity(t/h)		Power of motor (kw)	Weight (t)	Max dimensions (mm)
	Soft	Hard		Waterfall down with center feed	Total center feed			
VS17611	<35	<30	1750-1900	130-190	65-100	110-150	7.96	3720×2180×2112
VS18518	<40	<35	1560-1710	210-270	105-155	180-220	10.87	4150×2293×2520
VS19526	<45	<40	1368-1519	310-390	155-210	260-320	16.35	4566×2487×2789
VS11140	<50	<45	1186-1320	460-530	235-280	400-440	22.16	5020×2710×3320




注：技术参数如有变动，恕不另行通知。 Note: The specifications are subject to change without prior notice.

Advantages&characteristics

1. Novel and distinctive design, simple and reasonable structure, smooth operation and low operating cost.
2. Two states of "stone hitting stone" and "stone hitting iron" can be changed freely. The equipment can be applied to manufacturing sand as well as crushing stones. The "stone hitting stone" technology not only reduces parts friction but also cuts down manufacturing cost.
3. Low energy consuming, high yield, large breaking proportion and energy saving.
4. The equipment is capable of shaping out products. Products take a cubic shape and enjoy high bulk density.
5. During the manufacturing, stone materials can form a protective bottom to avoid wearing the equipment, so the equipment is durable in use.
6. Few abrasive parts are made of wearing resistant material of special hardness, which is small in volume, low in weight and easy to be changed.
7. Automatic air circulatory system can purify concentrative screening powder.
8. Water content of the material exerts little influence, and maximum contenting water can be 8%.
9. A lubrication oil station is adopted to lubricate the mayor bearing in circulation to ensure a constant oil supply.
10. It can realize automatic control and accident alert.
11. The upper is uplifted by hydraulic system, and the operation is simple.





售后服务 After-sales service

- 1、保证为用户提供良好的售前、售后服务，为用户在订购前介绍产品性能及使用要求，提供有关资料，当好用户参谋。
- 2、用户需求进行技术培训，对重点用户进行质量跟踪、用户访问，及时根据用户需求改进产品性能，不断提高产品质量。
- 3、保证兑现产品“三包”，产品在“三包”期内属产品质量问题，严格履行合同中规定的赔偿责任。
- 4、超过“三包”期限的产品，保证提供维修配件并根据用户需求做好维修服务工作。
- 5、对于产品的配件和易损件以出厂价优惠提供。
- 6、接到用户要求解决产品在使用中出现的问题通知后，本公司在1小时内作出初步响应，重大问题24小时到达现场。
- 7、需要技术服务的将派专业技术服务人员参加开箱验收和指导安装、调试工作，直到设备正常运转。如有必要公司免费为客户培训技术人员，让客户掌握设备的使用、维护和简单修理技术。在生产过程中一旦设备出现故障，公司在接到客户电话后的24小时内必须拿出明确的解决方案，并将以先恢复生产再追究责任的态度迅速解决问题。

- 1.Ensure to provide good pre-sale or after-sale service, the recommendation,operating requirements and other information of our productions for all of our clients before orders,as a good adviser.
- 2.Offer technology training for the clients' requirements,quality scout service for the emphases clients,interview,improving production features and continuous improving production quality.
- 3.Ensure to check production "three guarantees",if our production have quality issues during the times.we will strict to check the contract compensation liability.
- 4.Outlast the times we will offer maintenance service on the clients' requirements,and offer the maintenance parts in time.
- 5.Offer the parts and the quick-wear parts according to the factory favourable price.
- 6.We will response the clients who have the operating issues in the operating process in an hour,specially important issues we will rush to the scene during 24 hours.
- 7.Offer the specialty technology workers to check and guide setting,debugging,till the equipment do normal running.even we can offer free technology training for the clients' requiements in necessary,let our clients in control of the using,maintenance and easy repair technology,while clients have issues in the operating process we will make the specific plan in 24 hours and resolve the issues with a responsible attitude